



BRAZZEN

RURAL PRODUCTS

2024

www.brazzen.com.au



HEAD OFFICE Tel 1300 686517 | 0455 332519

80 Mann Street Coolamon NSW 2701 | sales@brazzen.com.au

DEALERS

ACT

Brazzen Canberra (Independent Steel Company)

New South Wales

Brazzen Albury/Wodonga (Parkside Produce)

Brazzen Barrington Coast

Brazzen Dubbo (Mullion Produce)

Brazzen Hunter Valley

Brazzen Macleay Valley

Brazzen Moss Vale (Independent Steel Company)

Brazzen Northern Rivers

Brazzen Nowra (Independent Steel Company)

Brazzen Orange (Mullion Produce)

Brazzen Queanbeyan (Independent Steel Company)

Brazzen Tamworth (Steel Save)

Brazzen Wagga Wagga (Direct Steel Wagga)

Northern Territory

Brazzen Darwin & Top End

Queensland

Brazzen Bundaberg

Brazzen FNQ

Brazzen Lockyer Valley

Brazzen Mackay

Brazzen Morayfield

Brazzen Rockhampton

Brazzen Scenic Rim

Brazzen Townsville

South Australia

Brazzen Kimba (Lienert Ag Supplies)

Brazzen Taillem Bend (River Murray Trading Post)

Tasmania

Brazzen Tas Rural

Victoria

Brazzen Alpine Country Victoria

Brazzen Ballarat (The Haymarket)

Brazzen Colac

Brazzen Gippsland

Brazzen Hamilton

Brazzen Katunga

Brazzen Yarra Valley

Western Australia

Brazzen Albany

Brazzen Busselton

Brazzen Esperance

Brazzen Geraldton

Brazzen Kondinin

Brazzen Moora

Brazzen Southern Stockyards (Bunbury Area)

SUPPLIERS

New South Wales

Bathurst AG Horse & Pet

Berry Rural Store

Boorowa Hardware

Candelo Stockfeeds

Carrington Rd Stockfeeds - Londonderry

Cleanseeds Pty Ltd

D & R Stockfeed - Camden

DH Roberts Pty Ltd

DST Rural

Goulburn Horse Ag & Pet

JD's Rural Supplies

MacCallum Inglis

Mandalong Stockfeeds - Morisset

Marulan Rural Supplies

Milton Hardware & Mowers

Murrumbateman Rural Supplies

NU RURAL - Quirindi

Precision Ag

Produce Direct & Pet Centre

Riverview Produce

South East Rural Supplies

Southern Quality Stockfeeds - Yanderra

Southern Rural Traders

Turnbull Fuel & Produce

Welderup

South Australia

Agfert

Victoria

Bairnsdale Stockfeed

Costello Rural

Dindi Ag

Mildura Stockfeeds

Miller's Agricultural Supplies

Peter Davis Rural Supplies

Seymour Ag

Steel Supplies Mildura

Tafco Rural Supplies - Myrtleford

Tallarook Rural Supplies

Wangaratta Rural Supplies

Yan Yean Stock Feed



Product Index

Cattle _____ 3-20

Head Bale _____	3
Crushes _____	3-6
Ramps _____	7-8
Panels/Gates _____	9-10
Bows _____	11
Gates _____	12-14
Force Yard _____	15
2 Way Race Gate _____	16
Cattle 3 Way Drafting Gate _____	16
Curved Race Panels _____	17
Access Grid/Premium Grid _____	17
Adjustable Top 6 Rail Cattle Gate _____	18
Calf Tilting Cradle _____	18
Driveway Gates _____	19
Bud Box & Cattle Scale _____	20

Combo Panels/Pigs _____ 21

Combo Panels & Gates _____	21
Pig Panel & Gate _____	21

Sheep/Goat _____ 22-28

Ramps _____	22
Curved Race Kit _____	23
V-Race _____	24
Panels & Gates _____	25-28
Goat Panel & Gate _____	28

Horses _____ 29-31

Panels & Gates _____	29-30
Shelter _____	31

Feeders _____ 32-37

ATV Trailer _____ 38

Dog Pen _____ 39

The specifications are subject to change without prior notice.



We see different prices all over Australia for cattle panels.


Why is this?

What to look out for?



BRAZZEN, OVER THE YEARS HAS BECOME A DOMINANT PLAYER IN THE LIVESTOCK EQUIPMENT INDUSTRY.

- 1 Many panel weights are very light due to the gauges, the steel rails and posts are very thin. 1.1mm is now becoming the norm in cheap panels. They dent like an Aluminium can. Brazen Panels are all oval rails 1.5mm thick and the posts are 1.7mm. The standard panels are 36kg in total weight.
- 2 Some cattle panels will have 5 rails instead of 6 rails to save money. This is an old trick.
- 3 Some cattle panels have 60x30mm oval rails and 40x40mm posts.
- 4 Brazen Cattle panels have 70x40mm oval rails and 50x50mm Posts. Many panels go with the half pin cleat instead of the full C cleat. Brazen has the full C cleats on both sides and also has rubber in the cleat holes to stop the rattling noise of the pins.



**BE BRAZEN
BUY BRAZZEN**

- 5 Most panels have a very low galvanized coating (Pre-gal) as low as 20grams per square meter of Galvanising. (20gms m²)
- 6 Brazen Posts are Hot Dipped Gal not a coating which is over 200gms m² and the rails are over 60gms m²
- 7 Brazen also salt tests the welds to make sure they can withstand many hours of salt washing and the welders use splatter rubbers to stop weld splatter on the rails and posts which are hidden from gal paint and can eventually rust.
- 8 All Brazen panels have the Brazen logo on the caps of all the posts.



If you have a farm and would like to make another income we are looking for dealers. Reach out if this is something you are interested in.

Next time you choose a Cattle Panel you need to ask yourself if a Cattle Panel is a Brazen Cattle Panel.



Head Bale

- Ideal for use with two cattle panels and a sliding gate to create a budget crush
- Easy to operate ratchet system
- Head bale is 750mm inside and 850mm outside




		Width	Depth	Height	Weight
Head Bale	CHB	850(2.79')	250(0.8')	2100(6.89')	120kg(265lb)

Hobby Crush

- Ideal for the hobby farmer
- Simple construction
- Portable
- Easy operating sliding gate
- Anti bruise oval rail panels

Kit includes:

- 1x cattle head bale
- 2x cattle panels
- 1x cattle sliding gate




		Width	Depth	Height	Weight
Hobby Crush	CCH	2500(8.2')	850(2.79')	2030(7.5')	260kg(573lb)





Standard Crush

- Sheeted bottom side gates for operator and animal safety
- Triple top gates allowing full access along animal
- Auto lock rear sliding gate
- Adjustable rear handle
- Walk through vet section
- Supplied in flat pack




		Length	Depth	Height	Weight
Standard Crush	CCSFP	3350(11')	850(2.79')	2030(7.5')	580kg(1279lb)
Optional Chin Lift	CCL				46kg(101lb)

- Optional Chin Lift of Standard and Premium Crush
- Offside Chin Lift Available



Premium Crush

- 3mm gauge steel frame
- Walk through vet section
- Baulk gate
- Kick latch
- Rump squeeze
- New design allows safer access to rear of animal
- Triple top gates allowing full access along animal
- Double lower doors on each side for hoof access
- Sheeted sliding gate
- Long ratchet rump bar mechanism
- Auto lock rear sliding gate
- Supplied in flat pack




		Length	Depth	Height	Weight
Premium Crush	CCPFP	3350(11')	850(2.79')	2030(7.5')	644kg(1420lb)
Optional Chin Lift	CCL				46kg(101lb)

- Optional Chin Lift of Standard and Premium Crush
- Offside Chin Lift Available



Premium Full Squeeze Crush

- Sheeted head bale & bottom side gates for operator and animal safety
- Auto lock rear sliding gate
- Innovative silent operation
- Walk through vet section
- Parallel squeeze
- 2x large access doors
- Neck inspection doors
- Front & rear head bale operation
- Supplied in flat pack



Ensure the Crush is bolted down if the roof is attached.

		Length	Width	Height	Weight
Squeeze Crush	CCPSFP	3630(11.91')	850(2.79')	2400(7.87')	1070kg(2359lb)
Optional Roof	RCL	4200(13.78')	4280(14.04')		206kg(454lb)



Adjustable Ramp

- Fully adjustable height for trailer to truck loading
- Designed to suit all cattle yards
- Ramps available with detachable walkways on request
- Minimum height - 680mm
Maximum height - 1270mm




Optional Walkway Kit Available



STANDARD RAMP



Optional Walkway Kit With Safety Rail Available



PREMIUM RAMP



		Length	Depth	Height	Weight
Standard Ramp	CRFP	3280(10.76')	850(2.78')	3350(11')	332kg(732lb)
Premium Ramp	CRPFP	3280(10.76')	850(2.78')	3350(11')	387kg(853lb)
Standard Ramp WPC	CRTFFP	3280(10.76')	850(2.78')	3350(11')	394kg(872lb)
Premium Ramp WPC	CRPTFFP	3280(10.76')	850(2.78')	3350(11')	449kg(993lb)
Walkway Kit With Safety Rail	CRWK600F	3131.6(10.27')	660(2.17')	1800(5.91')	101kg(223lb)
Walkway Kit	CRWK	3450(11.31')	310(1')		39kg(86lb)
Cattle Ramp Mobile Kit	CRKM				



Optional Mobile Kit Available



Premium Mobile Ramp

- Robust construction
- 1x3.6m mobile cattle ramp
- Ideal for moving around property
- Holds 12x portable cattle panels (not included)
- The premium floor is WPC board which is a durable and long lasting material used to replace timber




PREMIUM MOBILE RAMP

PANELS NOT INCLUDED WHEN ORDERING



	Length	Depth	Height	Weight
Premium Mobile CRPM	5330(17.5')	2240(7.35')	2680(8.8')	696kg(1534lb)

Cattle Anti-Backing Bar



	Length	Height	Weight
Cattle Anti-Backing Bar CBAB	1145(3.76')	920(3.02')	23.8kg(52.5lb)



Cattle Panels

Budget Panel

This middle of the range panel is equipped with:

- 6x oval 60 x 30 (2.36" x 1.18") rails
- 2 SHS 40 x 40 (1.57" x 1.57") posts
- 4 easy to connect lugs
- 2 holes for ground pins

Standard Panel

This strong heavy duty panel is equipped with:

- 6x oval 70 x 45 (2.75" x 1.57") rails
- 2 SHS 50 X 50 (2" x 2") posts
- 4 easy to connect lugs
- 2 holes for ground pins

Premium Panel

This strong heavy duty panel is equipped with:

- 6x oval 115 x 42 (4.52" x 1.65") rails
- 2 SHS 50 x 50 (2" x 2") posts
- 4 easy to connect lugs
- 2 holes for ground pins

All panels can be pre-ordered in Hot Dip Galvanised (HDG) after welding


		Horizontal	Uprights	Rails	Length	Height	Weight
Budget Panel	CPB2.1	60x30	40x40	6	2100(6.89')	1800(5.91')	32kg(71lb)
Standard Panel	CPS1.25	70x40	50x50	6	1250(4.1')	1800(5.91')	24.8kg(55lb)
Standard Panel	CPS2.1	70x40	50x50	6	2100(6.89')	1800(5.91')	36kg(79lb)
Standard Panel	CPS2.4	70x40	50x50	6	2400(7.87')	1800(5.91')	40kg(88lb)
Standard Panel	CPS3.35	70x40	50x50	6	3350(11')	1800(5.91')	50kg(110lb)
Premium Panel	CPP1.25	115x40	50x50	6	1250(4.1')	1800(5.91')	34kg(75lb)
Premium Panel	CPP2.1	115x40	50x50	6	2100(6.89')	1800(5.91')	46kg(101lb)
Premium Panel HDG	CPP2.1H	115x40	50x50	6	2100(6.89')	1800(5.91')	47.5kg(105lb)
Premium Panel	CPP2.4	115x40	50x50	6	2400(7.87')	1800(5.91')	52kg(115lb)
Premium Panel HDG	CPP2.4H	115x40	50x50	6	2400(7.87')	1800(5.91')	53kg(117lb)
Premium Panel	CPP3.35	115x40	50x50	6	3350(11')	1800(5.91')	70kg(154lb)
Premium Panel HDG	CPP3.35H	115x40	50x50	6	3350(11')	1800(5.91')	72kg(159lb)




BUDGET



STANDARD



PREMIUM



Sheeted Cattle Panel

		Length	Height
2.1 Standard Sheeted Panel	CPSBH2.1	2100(6.89')	1800(5.91')
2.1 Standard Sheeted Panel Full	CPSB2.1	2100(6.89')	1800(5.91')
2.1 Premium Sheeted Panel	CPPBH2.1	2100(6.89')	1800(5.91')
2.1 Premium Sheeted Panel Full	CPPB2.1	2100(6.89')	1800(5.91')



R360 Cattle Gate


- Comes with both chain & slam latch
- Gate will swing in both directions
- INNOVATION design - 360 Degrees

		Length	Depth	Height
2.1 Standard 360 Degrees	CGS2.1-R360	2100(6.89')	50(0.16')	2200(7.22')
2.1 Premium 360 Degrees	CGP2.1-R360	2100(6.89')	50(0.16')	2200(7.22')
3.0 Standard Single 360 Degrees	CGSS3.0-R360	3000(9.84')	60(2.4')	2200(7.22')
3.0 Premium Single 360 Degrees	CGPS3.0-R360	3000(9.84')	60(2.4')	2200(7.22')



Spear Trap Gate

- Designed for self mustering
- Ideal for decreasing handling & increasing mustering efficiency on large properties
- Reduces stress on both the animal and handler
- Arms are removable
- Effective and easy to install into an existing portable yard



		Width	Depth	Height	Weight
Spear Trap Gate	CGST	1150(3.7')	132(0.43')	2000(6.5')	86kg(189lb)



Race Walkway Mesh

- Race walkway mesh is designed to assist with maximum access to the cattle while they are in the race, therefore giving you safe access above the cattle.



		Width	Weight
Race Mesh	CRWW	2100(6.89')	19kg(42lb)

Race Bows

- Assists with maintaining a sturdy race
- Stops race from spreading under pressure



SINGLE RACE BOW



DOUBLE RACE WALKWAY BOW



ADJUSTABLE DOUBLE RACE GATE

		Length	Height	Weight
Single Race Bow	CRB	850(2.78')	2200(7.21')	18kg(40lb)
Double Race Bow	CRBD	2100(6.89')	2590mm(8.5')	44kg(97lb)
Adjustable Double Race Gate	CRBDA	2100(6.89')	2590mm(8.5')	85kg(187lb)



Cattle Gates

- Comes with both chain & slam latch
- Gate will swing in both directions



STANDARD 3.0 GATE



PREMIUM 4.2 GATE



STANDARD 4.2 DOUBLE



STANDARD 2.1 GATE

		Length	Depth	Height	Weight
2.1 Standard	CGS2.1	2100(6.89')	50(0.16')	2200(7.22')	66kg(146lb)
2.1 Premium	CGP2.1	2100(6.89')	50(0.16')	2200(7.22')	76kg(168lb)
3.0 Standard Double	CGSD3.0	3000(9.84')	50(0.16')	2200(7.22')	118kg(260lb)
3.0 Standard Single	CGSS3.0	3000(9.84')	50(0.16')	2200(7.22')	116kg(256lb)
3.0 Premium Double	CGPD3.0	3000(9.84')	50(0.16')	2200(7.22')	133kg(293lb)
3.0 Premium Single	CGPS3.0	3000(9.84')	50(0.16')	2200(7.22')	127kg(280lb)
4.2 Standard Double	CGSD4.2	4200(13.78')	50(0.16')	2200(7.22')	162kg(357lb)
4.2 Standard Single	CGSS4.2	4200(13.78')	50(0.16')	2200(7.22')	192kg(423lb)
4.2 Premium Single	CGPS4.2	4200(13.78')	50(0.16')	2200(7.22')	210kg(463lb)



Man Panel Gate

- Designed for easy access between yards
- Fast exit from yards

		Width	Depth	Height	Weight
Standard Man	CGMS2.1	2100(6.89')	50(0.16')	2200(7.22')	59kg(130lb)
Premium Man	CGMP2.1	2100(6.89')	50(0.16')	2200(7.22')	70kg(154lb)
Standard Man	CGMS2.4	2400(7.87')	50(0.16')	2200(7.22')	63kg(139lb)
Premium Man	CGMP2.4	2400(7.87')	50(0.16')	2200(7.22')	76kg(168lb)



PREMIUM MAN-PANEL GATE

Access Gate

- Ideal for use in workers alley, or access to yards
- Comes with both chain & slam latch
- Handy lugs for ground pinning

		Width	Depth	Height	Weight
Standard Access	CGAS	1250(4.10')	50(0.16')	2200(7.22')	50kg(110lb)
Premium Access	CGPA	1250(4.10')	50(0.16')	2200(7.22')	55kg(121lb)



STANDARD ACCESS GATE



Adjustable Top 6 Rail Cattle Gate

- 6 Rails
- Height adjustable to 3.0m allowing the option to ride through gates
- Gate is hinged to swing in both directions



		Horizontal	Uprights	Rails	Height	Width	Weight
2.1 Budget	CGBA	60x30	50x50	6	3000	2100	66kg(1146lbs)
2.1 Standard	CGSA	70x40	50x50	6	3000	2100	70kg(154lbs)

Calf Tilting Cradle

- Secure holding
- Galvanised construction
- Designed for easy access to animal



		Width	Depth	Height	Weight
Calf Cradle	CCCT	1800(5.90')	850(2.79')	1200(3.94')	207kg(456lb)



Sliding Cattle Gate

- Ideal for use with two cattle panels and a sliding gate to create a budget crush
- Easy operation with roller sliding

Suggestion for use:

- 1x Sliding Gate
- 1x Head Bale
- 2x Standard panels



PREMIUM SLIDE GATE



STANDARD SLIDE GATE



BLIND CATTLE SLIDE GATE

		Width	Depth	Height	Weight
Standard Slide Gate	CGSS	850(2.79')	220(0.7')	1970(6.46')	80kg(176lb)
Premium Slide Gate	CGPS	850(2.79')	220(0.7')	1970(6.46')	84kg(185lb)
Blind Cattle Slide Gate	CGSSB	850(2.79')	220(0.7')	1970(6.46')	

2 Way Sliding Cattle Gate

- This sliding gate can be operated from both sides or locked off for single side operation



		Width	Depth	Height	Weight
2 Way Sliding Gate	CG2WS	850(2.79')	370(1.21')	1970(6.46')	96kg(212lb)





Standard Force

- The force yard allows the handler to push cattle into the race system with minimal risk to the handler
- Innovative braking system stops the cattle from pushing the gate back therefore protecting the operator
- The curved layout works with the natural behaviour of how cattle run and tend to circle back to where they came from
- Standard Slide Gate Available



OFFSIDE FORCE AVAILABLE

- When using an offside force yard and a standard crush, the force yard requires the walkway to allow operation from the outside in line with crush operation



		Width	Depth	Height	Weight
Blind	CFYB	6300(20.67')	3150(10.33')	2200(7.22')	777kg(1713lb)
Blind-Offside	CFYBO	6300(20.67')	3150(10.33')	2200(7.22')	777kg(1713lb)
Walkway Kits	CFYBWK				35kg(77lb)



2 Way Race Gate

- Easy operation
- Designed to assist with sorting and separating cattle with a minimal of stress on the animals
- Fully sheeted sides to help minimise cattle distraction
- Can be operated from both sides



	Length	Width	Height	Weight
2 Way Race Gate CGR2W	1642(5.39')	1653(5.42')	2100(6.9')	168kg(370lb)

Cattle 3 Way Drafting Gate

- Galvanised construction
- Robust construction
- Animal Friendly
- Handy lugs for ground pinning
- Designed to improve speed of stock flow easy operation



	Length	Depth	Height
Cattle 3 Way Drafting Gate C3WD	2385(7.82')	850(2.789')	2113(6.93')





Curved Race Panels

- Designed to improve speed of stock flow
- Minimal distractions




		Curve Width	Radius	Depth	Height	Weight
Standard Outer	CPCO	3235(10.6')	3810(12.5')	426(1.4')	1800(5.9')	86kg(190lb)
Standard Inner	CPCI	2875(9.76')	3390(11.1')	426(1.4')	1800(5.9')	60kg(205lb)

Access Grid

- Animal friendly
- Designed with 5 bearers and 12 rails
- Removable wings
- sold separately


		Width	Depth	Height	Weight
Grid 3.0	CG3	3000(9.84')	2200(7.21')	300(0.98')	346kg(763lb)
Grid 4.0	CG4	4000(13.12')	2200(7.21')	300(0.98')	454kg(1000lb)
Grid Wings	CGW	2100(6.89')		1250(4.1')	64kg(141lb)



Premium Cattle Grid

- Animal Friendly
- Designed with 13 rails and 9/12 bearers
- In compliance with AS5100.2, Engineered and weigh rated
- Removable wings (sold separately)

		Width	Depth	Height	Weight
3m Premium Cattle Grid	CGP3	3000(9.84')	2000(6.56')	320(1.05')	
4m Premium Cattle Grid	CGP4	4000(13.12')	2000(6.56')	320(1.05')	834kg(1839lb)



The picture is for 4m premium grid.



5 Rail Driveway Gates

- End posts are square 2 inches x 2 inches and 14 gauge
- Made from our premium oval rails 4½ inches x 2 inches and 16 gauge, each rail almost has a 5 inch face on them
- Total 5 rails and with vertical strengthening straps to ensure this gate will never bend or break, they all come with 4 long bolt through L hinges to carry the weight



		Length	Height	Rails	Weight
Driveway Gate 8.0	DGP8/4.2-5	2438.4(8')	1270(4'2")	5	54kg(119lb)
Driveway Gate 10	DGP10/4.2-5	3048(10')	1270(4'2")	5	64kg(141lb)
Driveway Gate 12	DGP12/4.2-5	3658(12')	1270(4'2")	5	76kg(167lb)
Driveway Gate 14	DGP14/4.2-5	4267(14')	1270(4'2")	5	86kg(189lb)
Driveway Gate 16	DGP16/4.2-5	4877(16')	1270(4'2")	5	95.5kg(210lb)

6 Rail Driveway Gates



		Length	Height	Rails	Weight
Driveway Gate 8.0	DGP8/5.1-6	2438.4(8')	1549(5'1")	6	63kg(139lb)
Driveway Gate 10	DGP10/5.1-6	3048(10')	1549(5'1")	6	75kg(165lb)
Driveway Gate 12	DGP12/5.1-6	3658(12')	1549(5'1")	6	89kg(196lb)
Driveway Gate 14	DGP14/5.1-6	4267(14')	1549(5'1")	6	100kg(220lb)
Driveway Gate 16	DGP16/5.1-6	4877(16')	1549(5'1")	6	98kg(216lb)



Bud Box

- Designed to improve speed of stock flow



		Length	Width	Height	Weight
Bud Box	CBB	6299(20'8")	4851(15'11")	3048(10')	921kg(2030lb)

Cattle Scale



Cattle Scale **CS**



Combo Gates

Standard


- 8 Rails 70mm x 40mm Oval Rail
- 2 Post 50mm x 50mm Posts

Fit for all types of animals, including cattle, horses, sheep, & goats.

		Length	Height	Weight
Standard Combo Gate	C/SGS2.1	2100mm(6.88')	2200mm(7.21')	77kg(170lb)
Budget Combo Gate	C/SGBA	2100mm(6'11")	3000mm(9.84')	72kg(152lb)

Budget

- 8 Rails 60mm x 30mm Oval Rail
- 2 Post 40mm x 40mm Posts



STANDARD GATE

BUDGET COMBO GATE

Combo Panels

Standard


- 8 Rails 70mm x 40mm Oval Rail
- 2 Post 50mm x 50mm Posts

Fit for all types of animals, including cattle, horses, sheep, & goats.

		Length	Height	Weight
Standard Combo Panel	C/SPS2.1	2100mm(6'11")	1800mm(5'11")	45kg(99lb)
Budget Combo Panel	C/SPB2.1	2100mm(6'11")	1800mm(5'11")	37kg(82lb)

Budget

- 8 Rails 60mm x 30mm Oval Rail
- 2 Post 40mm x 40mm Posts



STANDARD PANEL

BUDGET PANEL

Pig Panel

		Length	Height	Weight
Pig Panel 2.0m	PP2.0	2000(6'6")	1041(3'5")	24kg(53lb)



Pig Gate

		Length	Height	Weight
Pig Gate 2.0m	PG2.0	2000(6'6")	1092(3'7")	50kg(110lb)





Sheep Loading Ramp

- Manufactured from galvanised steel
- Handy lugs for ground pinning
- Fully sheeted
- Fully adjustable height for trailer to truck loading



STANDARD SHEEP RAMP



OPTIONAL WALKWAY KIT AVAILABLE

		Length	Width	Height	Weight
Standard Ramp	SLR	3055(10')	650(2.13')	2250(7.38')	284kg(626lb)
Walkway Kit	SLRWK	3400(11.15')	310(1')		50kg(110lb)

Rustler Ramp

- 3 piece design easily flat packed for transport
- Ideal for use with a chute or trailer




		Length	Width	Height	Weight
Rustler Ramp	SFL	2300(7.5')	600(2.0')	900(3.0')	94kg(207)



Curved Race Kit

- Assisting to process a large number of stock at a faster rate, improving productivity
- Reduces animal stress
- Sheep will move forward looking for an opening



	Width	Depth	Height	Weight
Race Curved Kit SRCK	5010(16.4')	2500(8.2')	1100(3.6')	280kg(617lb)





Adjustable V-Race

- Manufactured from galvanised steel
- Fully sheeted
- The 'v' profile minimises the chance of small stock turning around in the race
- Races have a fully sheeted outer arc (prevents legs and heads getting out, and improves stock flow)
- Races are made without overhead bracing. This eliminates the danger of an operator getting his arm caught between the yard and beast



2 or 3 Way Sheep Draft Gate

- Assisting to process a large number of stock at a faster rate, improving productivity



SG3W



SG2W



MOBILE ADJUSTABLE V-RACE



		Length	Depth	Height	Weight
Sheep Race	SRA	3410(11.2')	540(2.13')	1020(3.77')	186kg(410lb)
Mobile Race	SRMY	4320(14.2')	2250(7.4')	1560(5.12')	436(961lb)

PANELS NOT INCLUDED WHEN ORDERING



Brazen 7 Rail

- 7 rail - 32od pipe
- Manufactured from galvanised steel
- Light weight
- Ideal for portable yards



BRAZEN SHEEP PANEL

		Rail	Uprights	Height	Width	Weight
Brazen 3.0	SPB-7	32OD	32OD	1000(3.28')	3000(9.84')	28kg(62lb)
Brazen Blind 1.0	SPBB1.0	32OD	32OD	1000(3.28')	1000(3.28')	19kg(42lb)
Brazen Blind 2.0	SPBB2.0	32OD	32OD	1000(3.28')	2000(6.56')	32kg(70lb)
Brazen Blind 3.0	SPBB3.0	32OD	32OD	1000(3.28')	3000(9.84')	42kg(93lb)

Brazen Gates



1M DRAFT GATE




SHEEP GATE THROW LATCH




ANTI-BACKING WING



RACE GATE



BRAZEN SHEEP GATE



RACE BOW

PERMANENT POST

		Rail	Uprights	Height	Width	Weight
Brazen 2.1	SGB2.1	32OD	50x50	1000(3.28')	2000(6.56')	39kg(86lb)
Brazen 3.0	SGB3.0	32OD	50x50	1000(3.28')	3000(9.84')	54kg(119lb)
Brazen Draft	SGB1.0	32OD	50x50	1000(3.28')	1000(3.28')	20kg(44lb)
Race Gate	SGR	32OD	50x50	1000(3.28')	550(1.80')	17kg(37lb)
Race Bow	SRB		50x50	1100(3.6')	550(1.80')	8kg(18lb)
Perm. Post	SPP		50x50	1885(6.18')		10kg(22lb)





Premium Sheep Panels


- Manufactured from galvanised steel
- Blind panels are designed to reduce distractions and improve the flow of stock
- Wide top rail for operator comfort when leaning over or accessing yard to yard
- Lamb proof rail spacing
- Height is 1100mm
- Panels can be used in permanent or portable applications



GUILLOTINE LIFT-UP SHEEP GATE



PREMIUM BLIND SHEEP PANEL



PREMIUM SHEEP PANEL



PREMIUM SHEEP GATE

Sheep Gates

- Manufactured from galvanised steel
- Premium gates are manufactured with 60x30 oval rails and 40x40 posts
- Sliding gates come supplied as conventional push in types, or as push out type



SLIDING SHEEP GATE

		Rail	Uprights	Height	Width	Weight
Premium 1.0	SPP1.0	60x30	40x40	1100(3.6')	1000(3.28')	13kg(29lb)
Premium 2.0	SPP2.0	60x30	40x40	1100(3.6')	2000(6.56')	24kg(53lb)
Premium 3.0	SPP3.0	60x30	40x40	1100(3.6')	3000(9.84')	34kg(75lb)
Blind 1.0	SPPB1.0	60x30	40x40	1100(3.6')	1000(3.28')	17kg(37lb)
Blind 2.0	SPPB2.0	60x30	40x40	1100(3.6')	2000(6.56')	32kg(71lb)
Blind 3.0	SPPB3.0	60x30	40x40	1100(3.6')	3000(9.84')	44kg(97lb)
Premium Race	SGPR	60x30	50x50	1100(3.6')	550(1.80')	20kg(44lb)
Premium Draft	SGP1.0	60x30	50x50	1123(3.68')	1000(3.28')	30kg(66lb)
Premium Gate 2.1	SGP2.1	60x30	50x50	1123(3.68')	2100(6.56')	43kg(95lb)
Premium Gate 3.0	SGP3.0	60x30	50x50	1123(3.68')	3000(9.84')	59kg(130lb)
Sliding Gate	SGPS	50x25	30x30	1135(3.72')	765(2.51')	30kg(66lb)
Guillotine Gate	SGG	40x40	20x20	2160(7.09')	650(2.13')	34kg(75lb)



Sheep Premium Drench Race Panel



- 6 rails 60/30 oval tubes
- 2 posts 40/40 square posts
- Top rail is demountable



		Length	Height
Sheep Premium Drench Race Panel 3.0m	SPPD3.0	3000(9.84')	1100(3.61')

Sheep Marking Panel


- HPost: 40 x 40 x 1.7mm square tube
- Rails: 60 x 30 x 1.5mm oval tube
- Top 2 rails would drop down



		Length	Height
Sheep Marking Panel	SPPM3.0	3000(9.84')	1100(3.61')




Economy Sheep Panel



		Rail	Uprights	Length	Height	Weight
Economy Sheep Panel	SPE 3.0	20NB PIPE	FLAT BAR 20mm x 3mm	2900(9'5")	1000(3'2")	20kg(44lb)

Goat Panel

- Outer frame made by od32x1.5mm pipe
- Inside 7 rail made by od25x1.3mm
- C clug provided
- Mid-plate welded on



		Length	Height	Weight
Goat Panel 2.0	GP2.0	2000(6.6')	1250(4.1')	18kg(39lb)
Goat Panel 3.0	GP3.0	3000(9.8')	1250(4.1')	25kg(55lb)

Goat Gate

- Frame's bottom rail made by 50x50x2.5mm hdg tube
- Panel frame made by od32x1.5mm, 7 rail od25x1.3mm pipe
- Uprights 50x50x1.7mm hdg tube
- C clug provided
- Chain lock system provided



		Length	Height	Weight
Goat Gate 2.0	GG2.0	2000(6.6')	1350(4.4')	35kg(77lb)
Goat Gate 3.0	GG3.0	3000(9.8')	1350(4.4')	45kg(99lb)



Horse Panels

Round Yard Diameter Specifications (Approx.)

10m	13 Panels Plus 1 Gate = 14 Units
12m	15 Panels Plus 1 Gate = 16 Units
13m	17 Panels Plus 1 Gate = 18 Units
14m	19 Panels Plus 1 Gate = 20 Units
16m	21 Panels Plus 1 Gate = 22 Units
17m	23 Panels Plus 1 Gate = 24 Units
18m	25 Panels Plus 1 Gate = 26 Units
20m	27 Panels Plus 1 Gate = 28 Units



HORSE PANEL

		Horizontal	Uprights	Rails	Height	Width	Weight
Horse Panel	HP2.1	60x30	40x40	5	1650(5.41')	2100(6.89')	26kg(57lb)

High Top Horse Gate

- Height adjustable to 3.0m allowing the option to ride through gates
- Gate is hinged to swing in both directions




		Horizontal	Uprights	Rails	Height	Width	Weight
Horse Gate	HGA	60x30	50x50	5	3000(9.84')	2100(6.89')	54kg(119lb)



Horse Float Panel

- Powder coated
- Ideal for temporary holding yards
- Portable light weight panels
- 2x panel pieces make a 2m holding pen



		Height	Width Folded	Width Flat	Weight
Horse Float Panel	HFP2.0	1250(4.1)	2000L(6.6')	4000(13.2')	18kg(40lb)



Double Horse Shelter

- Suitable shelter for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Lined with heavy duty marine ply to protect stock from injury
- Supplied in flat pack
- Anchor plates so you can bolt the shelter down
- Handy lugs on the front so you can attach a gate/s



Single Horse Shelter

CONFIGURATION OPTIONS:

1. Basic Design
2. With Mesh
3. With Mesh With Sheet
4. With Mesh With Steel Gate/Panel
5. With Sheet With Steel Gate/Panel
6. With Mesh With Sheet With Steel Gate/Panel
7. With Mesh With Plywood Panel & Gate
8. With Sheet With Plywood Panel & Gate
9. With Mesh With Sheet With Plywood Panel & Gate
10. Foot Pegs Are Optional



		Width	Depth	Height	Weight
3m Horse Shelter - Single	HS3/3	3000(9.84')	3000(9.84')	2680(8.79')	465kg(1025lb)
4m Horse Shelter - Single	HS4/4	4000(13.1')	4000(13.1')	2680(8.79')	673kg(1484lb)

Please check with us for other configuration item codes.



Round Hay Feeder


- Holds 6ft round bales
- Feeds up to 14 animals simultaneously
- 3 piece construction makes it easy to relocate (3x FRP makes one ring)
- Manufactured from hot dipped galvanised pipe



	Width	Height	Weight
FRP	2000(6.56')	1050(3.44')	33kg(73lb)

Rectangle Hay Feeder

- Holds 2x6 ft round bales
- Feeds up to 20 animals simultaneously
- 4 piece construction makes it easy to relocate (2x FRP + 2x FSP makes one ring)
- Manufactured from hot dipped galvanised pipe



	Width	Depth	Height	Weight
FSP	3477(11'4")	1791(5'9")	1050(3'4")	36kg(79lb)

Square Bale Cradle Feeder

- Holds large rectangle bales
- Keeps bales raised off the ground
- Manufactured from hot dipped galvanised pipe



	Width	Depth	Height	Weight
FSC	2900(9.5')	1500(4.92')	1080(3.54')	126kg(278lb)

Diagonal Feeder

- Holds large rectangle bales
- Keeps bales raised off the ground
- Manufactured from pre-galvanised material



	Width	Length	Height	Weight
Diagonal Feeder FD18	1524(5')	5486.4(18')	1295(4'3")	246kg(542lb)



Square Bale Feeders

- Modular type, can be bolted into single/double ones
- Can fit one large square bale
- Feeds up to 22 animals simultaneously
- 4 Piece construction makes it easy to relocate
- Hot dipped galvanized after welding



		Width	Length	Height	Weight
Square Bale Feeder-Straight Bar	FSS	1524(5')	2743(9')	1295(4'3")	142(313lb)
Square Bale Feeder-Angled Bar	FSA	1524(5')	2743(9')	1295(4'3")	140(309lb)

Round Bale Feeders

- Holds 6 ft round bales
- Feeds up to 18 animals simultaneously
- 2 piece construction makes it easy to relocate
- Manufactured from pre-galvanized material



		Diameter	Height	Weight
Round Bale Feeder-Straight Bar	FRS	2133.6(7')	1295(4'3")	103kg(227lb)
Round Bale Feeder-Angled Bar	FRA	2133.6(7')	1295(4'3")	93kg(205lb)

Line Feeders



		Width	Length	Height	Weight
Line Feeder 5.0	FL-5	1524(5')	1524(5')	1295(4'3")	24kg(53lb)
Line Feeder 9.0	FL-9	1524(5')	9'	1295(4'3")	41kg(91lb)
Line Feeder 18	FL-18	1524(5')	18'	1295(4'3")	82kg(182lb)



Round Bale Cradle Feeder


- Full 32nb pipe
- Holds 1x round bales



		Width	Depth	Height	Weight
Round Bale Cradle Feeder	FRC	1645(5'5")	1532(5')	1216(4')	142kg(313lb)

Small Cradle Feeder

- Small round bale cradle feeder



		Width	Depth	Height	Weight
Small Cradle Feeder	FRSC	1475(4'8")	1415(4'6")	670(2'19")	50kg(110lb)

Dual Hay Feeder

- Holds 2x round bales or 1x large



		Width	Depth	Height	Weight
Dual Hay Feeder	FSCS	2900(9'5")	2250(7'3")	1216(3'9")	128kg(282lb)



Sheep Trolley Feeder

- Ideal to keep the weather off stock-feed
- Reduces waste
- Supplied with 4x10" wheels x 1" bore with rubber tyre with 2'7½" wide lid c/w protex fastening and lid catch
- Double sided 3"x 3" hay-rack



		Width	Depth	Height	Weight
Sheep Trolley Feeder	FTS	1270(4'2")	330(1'11")	686(2'3")	52kg(115lb)

Sheep Hanging Feeder



		Length	Height	Width	Weight
Sheep Hanging Feeder	SF008	559(1'10")	305(1')	457(1'6")	4kg(9lb)

Horse Hay Feeder



		Width	Length	Height	Weight
Horse Hay Feeder	FHH	1676(5'5")	2,819(9'3")	1,346(4'5")	196.86kg(434lb)



Lick Feeders

- Unique barrel design increases strength and does away with the need for internal supports
- Sizes available 800ltr, 2400ltr, 3200ltr, 4200ltr & 5200ltr
- Fully adjustable
- Full top hinge opening lid
- 3 viewing feed level indicators
- Robust galvanised construction with fork slots for easy moving



		Length	Width	Height	Weight
800ltr	SFL800	1171(3.8')	1232(4')	1435(4.7')	151kg(322lb)
2400ltr	SFL24	2265(7.4')	1147(3.76')	1750(5.74')	315kg(695lb)
3200ltr	CFL32	2265(7.4')	1167(3.83')	2100(6.89')	394kg(867lb)
4200ltr	CFL42	2265(7.4')	1405(4.61')	2250(7.38')	446kg(893lb)
5200ltr	CFL52	2919(9.5')	1574(5.16')	2223(7.29')	520kg(1146lb)



Grain Self Feeders

Lienert Ag Supplies manufacture and supply a range of both mobile and stationary stock self grain feeders. The Lienert range is of a unique design with some features completely unique to the Lienert range. Designed specifically by Matt from his own experience to help make feeding stock simple and time effective has assured the product remains highly competitive on the market for its capabilities.

- Fully adjustable flow control gate
- 1.1m wide lid opening - easy filling with no spillage direct out of silo and auger
- Easy roll over tarp - canvas guarantee of 10 years from date of purchase
- All bolted with high tensile M8 zinc plated bolts and nylock nuts, NO tek screws
- Quick release spring bolts on gate adjustment
- All mobile feeders can be towed full and in tandem
- Maximum of 25km/hr. when towing full
Maximum of 100km/hr. when towing empty
- Extra wide rain shelters for protection of feed
- Deep feed tray to avoid spillage
- Jack stands on mobile units
- Full length sight glass
- Step ladder on outside and inside of all models
- Main body constructed from 1.6 gal sheet
- Skid frames 100 x 50 x 3 gal rhs
- Chassis 125 x 75 x 5 gal rhs



Extras Available

- Lick feeder attachments
- Creep feeder attachments
- Removable dolly's
- Flat pack options for easy and cost effective freight options

		Length	Width	Height	Weight
50 Bag Stationary	FGS50	2400(7.87')	1200(3.9')	1900(6.2')	400kg(881lb)
50 Bag Mobile	FGM50	4800(15.7')	2300(7.5')	2000(6.5')	600kg(1322lb)
65 Bag Stationary	FGS65	3000(9.8')	2300(7.5')	1900(6.2')	450kg(992lb)
65 Bag Mobile	FGM65	5100(16.7')	2300(7.5')	2300(7.5')	700kg(1543lb)
100 Bag Stationary	FGS100	4800(15.7')	2300(7.5')	200(0.65')	1000kg(2204lb)
130 Bag Stationary	FGS130	6000(19.6')	2300(7.5')	200(0.65')	1200kg(2645lb)



ATV Trailer

- 5 x 3 ft
- Tipping feature
- Removable cage

Materials

- Standard 2mm flat plate
- 10inch sides
- 50 x 50 x2mm draw bar
- 50mm coupling
- 45mm hollow axle
- 13inch sunraysia ford tyres
- 30 x 30 rhs chassis
- Cage 25nb pipe frame with 50 x 50 x 4mm mesh 900mm high



		Weight
ATV Trailer	TATV	165kg(363lb)






Raised Dog Pens

Standard Dog Pens

- Available in single and double in both standard and raised
- Raised flooring composite boards with drainage gaps
- Sturdy construction and design
- Providing great protection for your pets



Materials:

Frame 30 x 30 x 1.6mm galvanised tube

Mesh: 25 x 84mm with 3mm diameter

Hot dip galvanised

		Depth	Width	Height	Weight
Single Raised Dog Pen	DCSR	2300(7.5')	1104(3.6')	1688(5.5')	152kg(335lb)
Double Raised Dog Pen	DCDR	2300(7.5')	2100(6.9')	1688(5.5')	368kg(811lb)
Single Raised Dog Pen Budget	DCBSR	2200(7.2')	1090(3.6')	1645(5.4')	
Double Raised Dog Pen Budget	DCBDR	2200(7.2')	2105(6.9')	1645(5.4')	



Budget Raised Dog Pens

- No back door
- FRP (Fiber glass grating floor)
- Designed as modular, it can be set up into a single pen, double pen, triple pen, etc...
- Detachable mid-wall
- Comes in Flat pack version
- Anti-UV Trim Deck and flashing provided

Standard Dog Pens




STANDARD SINGLE



STANDARD DOUBLE

	Depth	Width	Height	Weight
DCS	3660(12')	2150(7.05')	1830(6')	178kg(392lb)
DCD	3660(12')	2400(7.87')	1830(6')	278kg(613lb)





HOW TO RECOGNISE YOU ARE BUYING BRAZEN GENUINE EQUIPMENT



BRAZEN, OVER THE YEARS HAS BECOME A DOMINANT PLAYER IN THE LIVESTOCK EQUIPMENT INDUSTRY.

- 1** We pride ourselves in having excellent galvanising and even our upright posts are hot dipped galvanised on all our panels which is important as this is the part that touches the ground.
- 2** All the gauges/tube wall thickness of our rails and posts are exactly the thickness as stated in our specifications.
- 3** Our workers pride themselves in their welding and you will see the difference with our welding compared with our competitors.
- 4** All our equipment has the anti-rattle rubbers where the pins join the equipment.
- 5** Our standard cattle panels are 36kg in weight, the biggest deception with cheaper panels is the thin steel tube gauge which reflects in the weight of steel.
- 6** Some companies have cheap panels with only half a C clamp on one side to save on steel. When linked with other panels this is much weaker than the full C clamp. Beware of these inferior panels.



"If it is not Genuine Brazen there is no Brazen Warranty"

The factory manufacturing is controlled by Australians and so the quality control and the development are all looked after by Australians. Australia Livestock Equipment is known to be the most robust equipment throughout the world and a lot of Brazen equipment is used in the Northern Territory and the outback where buffalos and wild cattle and horses are penned and captured in Brazen Equipment.

We now have a lot of manufacturers starting to copy our equipment and trying to sell them as Brazen Equipment.

For you to recognise genuine Brazen Equipment, you will see a logo on the cap on the top of the posts on our panels, you will see a Brazen sticker on the panels. A lot of our equipment will have the logo stamped in them.

If you have a farm and would like to make another income we are looking for dealers. Reach out if this is something you are interested in.

Do please keep buying Brazen Equipment and make sure it is genuine.



BE BRAZEN BUY BRAZEN



BRAZZEN
RURAL PRODUCTS



DESIGNED & TESTED BY
FARMERS WORLDWIDE

Contact & Sales

HEAD OFFICE

Tel 1300 686 517

80 Mann Street
Coolamon NSW 2701
sales@brazen.com.au